

SPEAKER CABLES



Plug into
Performance!

Tributaries high performance speaker cables are a unique design by Jay Victor optimized for superior sound quality. Starting with the same conductor criteria as Tributaries audio cables; speaker cable designs incorporate high performance copper with insulated multi-gauge conductors sharing the same sonic traits resulting in a sound which is more frequency balanced.

Special attention to cable geometry is given to the design of speaker cables. Speaker cables carry high current signals that are susceptible to magnetic fields. As a signal travels along a wire it creates a magnetic field that increases with signal voltage. This self-inductance impedes the signal by virtue of its inductive reactance. Star-Quad design cancels magnetic fields and improves the sound quality of your system.

Star-Quad Geometry

Tributaries Series 4, 6 and 8 speaker cables all include a Star-Quad design. Star-Quad speaker cables are designed with four conductors, all wound together, in a "positive, negative, positive, negative" configuration. The cable is produced such that all 4 wires are evenly twisted together keeping each conductor the same distance from the center and ensuring each positive conductor is next to each negative conductor. The net result is the cancellation of opposing electromagnetic fields generated by each conductor pair. This design improves the system's performance by preventing EMI noise from entering and distorting the signals in nearby low level audio, video or digital cables. Another benefit of the Star Quad design is the reduction of the cable's inductance, again, improving the cables electrical performance and reducing the distortion it produces.



Resistance


Resistance is another consideration when choosing a speaker cable. In simple terms: the larger the diameter of the cable or conductor; the lower the resistance. Cable resistance is expressed in ohms per unit. For instance, 500 feet of 16-gauge wire has a resistance of about 4 ohms. With speaker cables this becomes an issue. Because speakers exhibit input impedances in the range of 2 to 8 ohms, the resistance of the cable can add significantly to the overall load. For example, if a 4-ohm speaker is connected to an amplifier with a cable that exhibits a 4-ohm resistance, the cable will dissipate half of the amp's power before it even gets to the speaker! Tributaries offers a full line of speaker wire with gauges from from 11AWG to 16 AWG for your consideration. Below is a handy guide for choosing the correct size speaker wire for your unique installation.

Maximum Wire Lengths for Two Conductor Copper Wire

Wire Size	2 Ω load	4 Ω load	6 Ω load	8 Ω load
16 AWG	12 ft	24 ft	36 ft	48 ft
14 AWG	20 ft	40 ft	60 ft	80 ft
12 AWG	30 ft	60 ft	90 ft	120 ft
10 AWG	50 ft	100 ft	150 ft	200 ft

SPEAKER CABLES

If your speakers are bi-wireable and you prefer to use standard speaker cables with the stock metal jumpers between binding-posts we recommend replacing the metal jumpers with Tributaries Speaker Jumper Cables. Replacing the factory-supplied metal jumpers results in improved sound because the metal jumpers are typically not made of high-quality material. Tributaries offers Speaker Jumper cables in 6-inch lengths and sold in sets of two. If your speakers require custom length jumpers we are happy to make these cables to your unique specification.



SERIES 6 SPEAKER JUMPER CABLES

MODEL:6SJ

Professional Grade Audio Cable

All Series 6 audio cables are meticulously assembled by hand in Orlando, Florida. If your speakers are equipped with 4 binding posts they are meant for bi-wiring. One pair is for high frequency and the other pair is for low frequency. If you prefer not to bi-wire, speaker manufacturers provide gold plated brass bars to bridge the negative posts and the positive posts. We recommend that you upgrade the stock bars with Series 6 speaker jumpers made of high conductivity HC-OFC. Using Series 6 Speaker jumpers will improve the performance of your speakers over standard brass binding post bars

The Series 6 Speaker Jumpers are stocked in pairs in lengths of 6 inches with custom lengths available

Model 6SJ Highlights

Hand crafted by skilled artisans in Orlando Florida, USA

14AWG HC-OFC conductors for superior signal transfer

Sophisticated multi-gauge design for superior bass, mids and highs

Proprietary optimized cable geometry for low noise and distortion

Unique design by Jay Victor for superior sound quality, exclusively from Tributaries

Available terminated with spade lugs or banana plugs

Available in 6 inch length, sold in pair

